

Eastman turbo oil industry approvals

Civil aircraft



Aircraft manufacturer	Aircraft model	Engine model	Engine oil approvals (includes engine accessories, generators, starters)		APU oil approvals			
			ETO 2380	ETO 2197	APU	ETO 2380	ETO 2197	ETO 2389
Airbus	A220-100, -300	PW1500G	Green	Blue	131-9C	Green	Blue	Yellow
	A300-600	CF6-80C2 or PW4156	Green	Blue	331-250H	Green	Blue	Yellow
	A310	CF6-80C2 or PW4152	Green	Blue	331-250H	Green	Blue	Yellow
	A318	PW6000	Green	Blue	131-9A, 36-300, or APS 3200	Green	Blue	Yellow
	A318, A319, A320, A321	CFM56-5A, -5B	Green	Blue	131-9A, 36-300, or APS 3200	Green	Blue	Yellow
	A319, A320, A321	V2500	Green	Blue	131-9A, 36-300, or APS 3200	Green	Blue	Yellow
	A319, A320, A321 (NEO)	LEAP-1A or PW1100G	Green	Blue	131-9A, 36-300, or APS 3200	Green	Blue	Yellow
	A330-200, -300	CF6-80E1 or PW4168	Green	Blue	331-350	Green	Blue	Yellow
	A330-200, -300	Trent 700	Green	Blue	331-350	Green	Blue	Yellow
	A330-800, -900 (NEO)	Trent 7000	Green	Blue	331-350	Green	Blue	Yellow
	A340-200, -300	CFM56-5C	Green	Blue	331-350	Green	Blue	Yellow
	A340-500, -600	Trent 500	Green	Blue	331-600	Green	Blue	Yellow
	A350-900, -1000	Trent XWB	Green	Blue	HGT1700	Green	Blue	Yellow
	A380	GP7200	Green	Blue	PW980	Green	Blue	Yellow
	A380	Trent 900	Green	Blue	PW980	Green	Blue	Yellow
ATR	ATR-42-200	PW120	Green	Blue	NA			
	ATR-42-500, -600 or ATR-72-500, -600	PW127	Green	Blue	NA			
	ATR-72-100, -200	PW124	Green	Blue	NA			
BAE	ATP	PW126	Green	Blue	GTCP36	Green	Blue	Yellow
	BAe 146	ALF 502	Green	Blue	GTCP36	Green	Blue	Yellow
	Jetstream 41	TPE331-14GR	Green	Blue	GTCP36	Green	Blue	Yellow
BAE Avro	Avro RJ	LF507-1F	Green	Blue	APS 1000	Green	Blue	Yellow

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

(continued on next page)

Eastman turbo oil industry approvals

Civil aircraft



Aircraft manufacturer	Aircraft model	Engine model	Engine oil approvals (includes engine accessories, generators, starters)		APU oil approvals			
			ETO 2380	ETO 2197	APU	ETO 2380	ETO 2197	ETO 2389
Boeing	B707	JT3C,-D or JT4A	✓	✓	GTCP85-98CK	✓	✓	✓
	B717-200	BR715	✓	✓	APS 2100	✓	✓	✓
	B727	JT8D-basic	✓	✓	GTCP85-98C,CK	✓	✓	✓
	B737-100/-200	JT8D-basic	✓	✓	GTCP85-98C,CK	✓	✓	✓
	B737-300, -400, -500	CFM56-3B/C	✓	✓	85-129, 36-280B, or APS 2000	✓	✓	✓
	B737-600, -700, -800, -900	CFM56-7B	✓	✓	131-9B	✓	✓	✓
	B737-7, -8, -9, -10 (MAX)	LEAP-1B	✓	✓	131-9B	✓	✓	✓
	B747-200, -300	CF6-80C2 or JT9D-7, 7R4 or RB211-524 B, D	✓	✓	331-660-4	✓	✓	✓
	B747-400	CF6-80C2 or PW4056	✓	✓	PW901A	✓	✓	✓
	B747-400	RB211-524 H	✓	✓	PW901A	✓	✓	✓
	B747-8	GEnx-2B	✓	✓	PW901C	✓	✓	✓
	B757-200, -300	PW2037 or RB211-535 C, E4	✓	✓	331-200ER	✓	✓	✓
	B767-200, -300	CF6-80C2 or PW4056	✓	✓	331-200ER	✓	✓	✓
	B767-200, -300	RB211-524H	✓	✓	331-200ER	✓	✓	✓
	B767-400	CF6-80C2 or PW4062	✓	✓	331-400	✓	✓	✓
	B777-200, -300	GE90-90B or PW4084	✓	✓	331-500B	✓	✓	✓
	B777-200, -300	Trent 800	✓	✓	331-500B	✓	✓	✓
	B777-300ER, -200LR	GE90-115B	✓	✓	331-500B	✓	✓	✓
	B787-800	GEnx-1B	✓	✓	APS 5000	✓	✓	✓
	B787-800	Trent 1000	✓	✓	APS 5000	✓	✓	✓
DC-9	JT8D-basic	✓	✓	GTCP85-98D, DC	✓	✓	✓	
MD-11	CF6-80C2 or PW4460	✓	✓	TSCP 700-4E	✓	✓	✓	
MD-80	JT8D-200	✓	✓	85-98DHFB or 36-280D	✓	✓	✓	
MD-90	V2500-D5	✓	✓	131-9D	✓	✓	✓	
Bombardier	CRJ-200	CF34-3B	✓	*	36-150RJ	✓	✓	✓
	CRJ-700, -900	CF34-8C	✓	✓	RE220 RJ	✓	✓	✓
	DHC-8-100, -200	PW121	✓	✓	APS 500	✓	✓	✓
	DHC-8-300	PW123	✓	✓	APS 500	✓	✓	✓
	DHC-8-400	PW150A	✓	✓	APS 1000	✓	✓	✓

*P10 oil pump upgrade per SB 79-0022 must be complied with prior to 2197 or M254 use.

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

(continued on next page)

Eastman turbo oil industry approvals

Civil aircraft



Aircraft manufacturer	Aircraft model	Engine model	Engine oil approvals (includes engine accessories, generators, starters)			APU oil approvals		
			ETO 2380	ETO 2197	APU	ETO 2380	ETO 2197	ETO 2389
Comac	ARJ21-700, -900	CF34-10A	Green	Blue	APS 2600	Green	Blue	Yellow
	C919	LEAP-1C	Green	Blue	HGT 750	Green	Blue	Yellow
de Havilland Canada	DHC-6 Series 100, -200	PT6A-20	Green	Blue	NA	Green	Blue	Yellow
	DHC-6 Series 300	PT6A-27	Green	Blue	NA	Green	Blue	Yellow
Embraer	EMB-120	PW118	Green	Blue	36-150	Green	Blue	Yellow
	ERJ-135, -140, -145	AE 3007A	Green	Blue	APS 500	Green	Blue	Yellow
	ERJ-170	CF34-8E	Green	Blue	APS 2600	Green	Blue	Yellow
	ERJ-190	CF34-10E	Green	Blue	APS 2600	Green	Blue	Yellow
	E170-E2	PW1700	Green	Blue	APS 2600E	Green	Blue	Yellow
	E190-E2	PW1900	Green	Blue	APS 2600E	Green	Blue	Yellow
Fairchild-Dornier	DO-228	TPE331-5	Green	Blue	NA	Green	Blue	Yellow
	DO-328	PW119B	Green	Blue	36-150	Green	Blue	Yellow
	Metro 23	TPE331-12	Green	Blue	NA	Green	Blue	Yellow
Fokker	F-50	PW127B	Green	Blue	APS 1000	Green	Blue	Yellow
	F-70	Tay 620	Green	Blue	36-150RR	Green	Blue	Yellow
	F-100	Tay 650	Green	Blue	36-150RR	Green	Blue	Yellow
Irkut	MC-21	PW1400G	Green	Blue	HGT750	Green	Blue	Yellow
Mitsubishi	SpaceJet M100, M90	PW1700	Green	Blue	APS 2600	Green	Blue	Yellow
Raytheon	1900D	PT6A-65B	Green	Blue	NA	Green	Blue	Yellow
SAAB	SAAB 340B	CT7-9B	Green	Blue	NA	Green	Blue	Yellow
	SAAB 2000	AE 2100A	Green	Blue	APS 1000	Green	Blue	Yellow
Viking	Twin Otter Series 400	PT6A-34	Green	Blue	NA	Green	Blue	Yellow

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

EASTMAN

The results of insight™

Eastman Corporate Headquarters

 P.O. Box 431
 Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)

Other Locations, +(1) 423-229-2000

www.eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2019 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. The ® symbol denotes registered trademark status in the U.S.; marks may also be registered internationally. Non-Eastman brands referenced herein are trademarks of their respective owners.

Eastman turbo oil industry approvals

Business jets



Aircraft manufacturer	Aircraft model	Engine manufacturer	Engine	Aircraft maintenance manual (AMM) oil approvals			
				ETO 2197	ETO 2380	ETO 2389	ETO 25
Beechcraft	King Air B200	Pratt & Whitney	PT6A-41				
Bombardier Aerospace	Bombardier Challenger CL-600	Honeywell	ALF 502L				
	Bombardier Global 5000/Global Express	Rolls-Royce	BR710				
	Bombardier Challenger CL-601/604/605/610	GE	CF34-3A or -3B				
	Bombardier Challenger 800	GE	CF34-3B1				
	Bombardier Global 7000/8000	GE	GE Passport				
	Bombardier Challenger 300	Honeywell	HTF7000				
Bombardier Learjet	Learjet 31	Honeywell	TFE 731-2				
	Learjet 40/40XR/45/45 XR	Honeywell	TFE-731-20				
	Learjet 60/60XR	P&W	PW305A				
	Learjet 85	P&W	PW307B				
	Learjet 55	Honeywell	TFE-731-3A				
Cessna	Citation X or 10	Rolls-Royce	AE3007C				
	Citation II or Bravo	P&W	JT15D				
	Citation Encore	P&W	JT15D-5D				
	Citation Sovereign	P&W	PW306C				
	Citation Latitude	P&W	PW306D				
	Citation Excel or XLS	P&W	PW545C				
	Citation Mustang	P&W	PW615F				
	Conquest II	Honeywell	TPE-331 110				
Dassault	Falcon 7X	P&W	PW307A				
	Falcon 2000 EX/LX/DX	P&W	PW308C				
	Falcon 50	Honeywell	TFE-731-3				
	Falcon 900	Honeywell	TFE-731-5				
	Falcon 900 EX/DX/LX	Honeywell	TFE-731-60				
Eclipse Aviation	Eclipse 500/400	P&W	PW610F				

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

(continued on next page)

Eastman turbo oil industry approvals

Business jets



Aircraft manufacturer	Aircraft model	Engine manufacturer	Engine	Aircraft maintenance manual (AMM) oil approvals			
				ETO 2197	ETO 2380	ETO 2389	ETO 25
Embraer	Legacy 600	Rolls-Royce	AE3007A	Blue	Green		
	Legacy 450/500	Honeywell	HTF7500	Blue	Green		
	Phenom 300	P&W	PW535E		Green		
	Phenom 100	P&W	PW617F	Blue	Green		
Epic Aircraft	Epic Elite	P&W	PW600	Blue	Green		
	Epic Victory	P&W	PW600	Blue	Green		
Gulfstream	Gulfstream V/G500/G550	Rolls-Royce	BR710	Blue			
	Gulfstream G650	Rolls-Royce	BR725	Blue	Green		
	Gulfstream G280 (G250)	Honeywell	HTF7000	Blue	Green		
	Gulfstream G200	P&W	PW306A		Green		
	Gulfstream GIV (300)/GIV-SP(400)/G450/G500	Rolls-Royce	Tay 611-8C	Blue	Green	Yellow	
	Gulfstream G100	Honeywell	TFE-731-40R	Blue			
Hawker Beechcraft	Hawker 400/Mitsubishi Diamond	P&W	JT15D-5		Green		
	Hawker 4000	P&W	PW308A	Blue	Green		
	Hawker 750/850 XP/900 XP	Honeywell	731	Blue	Green		

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

EASTMAN

The results of insight™

Eastman Corporate Headquarters

P.O. Box 431
Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)
Other Locations, +(1) 423-229-2000

www.eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2019 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. The ® symbol denotes registered trademark status in the U.S.; marks may also be registered internationally. Non-Eastman brands referenced herein are trademarks of their respective owners.

Eastman turbo oil industry approvals

Helicopters



Manufacturer	Helicopter model	Engine	ETO 2380	ETO 2197	ETO 25
Airbus	AS355	A250-C20	Green	Blue	White
	AS550	Arrius 1 or 2	Green	Blue	White
	AS555	Arrius 1	Green	Blue	White
	BK 117B	LTS 101-750	White	Blue	White
	BK 117C	Arriel 1	Green	Blue	White
	BO-105	A250-C18, -C20, -C28	Green	Blue	White
	H120/EC120	Arrius 2	Green	Blue	White
	H125/AS350	Arriel 1	Green	Blue	White
	H125/AS350	LTS 101-600 or -700	White	Blue	White
	H125/AS350 B3	Arriel 2	Green	Blue	White
	H130/EC130	Arriel 2	Green	Blue	White
	H135/EC135	PW206	Green	White	Grey
	H135/EC135	Arrius 2	Green	Blue	White
	H135M/EC635	PW206	Green	White	White
	H145/EC145	Arriel 1, 2	Green	Blue	White
	H145M/EC645	PW206	Green	White	White
	H155/EC155	Arriel 2	Green	Blue	White
	H160	Arrano	Green	Blue	White
	H175/EC175	PT6C-67E	Green	White	White
	H215/AS332	Makila 1	Green	Blue	Grey
H225/EC225	Makila 2	Green	Blue	White	
SA 330	Turmo IVC	Green	Blue	White	
SA 365/AS365	Arriel 1, 2	Green	Blue	White	
SA 366G1	LTS 101-750B-2	White	Blue	White	

Manufacturer	Helicopter model	Engine	ETO 2380	ETO 2197	ETO 25
Bell	206A	A250-C18	Green	Blue	White
	206B	A250-C20	Green	Blue	White
	206L	A250-C20, -C28, -30	Green	Blue	White
	212	PT6T-3B	Green	White	Grey
	222	LTS 101-650 or -750	White	Blue	White
	230	A250-C30	Green	Blue	White
	407	A250-C47	Green	Blue	White
	412	PT6T-3B	Green	White	Grey
	427	PW207	Green	White	Grey
	429	PW207	Green	White	White
	430	A250-C40	Green	Blue	White
Leonardo	A109	A250-C20	Green	Blue	White
	A109E	PW206C	Green	White	White
	A109E	Arrius 2	Green	Blue	Grey
	A109K2	Arriel 1	Green	Blue	White
	A109S or AW109SP	PW207C	Green	White	Grey
	A119	PT6B-37A	Green	White	White
	Agusta-Bell 206B-1	A250-C20	Green	Blue	White
	AW139 or AB139	PT6C-67C	Green	White	White

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

Eastman turbo oil industry approvals

Helicopters



Manufacturer	Helicopter model	Engine	ETO 2380	ETO 2197	ETO 25
MD Helicopters	MD 500C	A250-C20	Green	Blue	
	MD 520E	A250-C20	Green	Blue	
	MD 530F	A250-C30	Green	Blue	
	MD 600	A250-C47	Green	Blue	
	MD 900 or MD 902 Explorer	PW206A	Green		
	MD 901 Explorer	Arrius	Green	Blue	
	MD 902	PW206E or PW207E	Green		

Manufacturer	Helicopter model	Engine	ETO 2380	ETO 2197	ETO 25
Mil	Mi-8 or Mi-17 (export)	TV3-117	Green	Blue	
Robinson	R66	RR300		Blue	
Sikorsky	S-76 A	A250-C30	Green	Blue	
	S-76 A+, A++, C	Arriel 1	Green	Blue	
	S-76 B	PT6B-36	Green		
	S-76 C+, C++	Arriel 2	Green	Blue	
	S-76D	PW210	Green		
	S-92A	CT7-8	Green		

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

EASTMAN

The results of insight™

Eastman Corporate Headquarters
 P.O. Box 431
 Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)
 Other Locations, +(1) 423-229-2000

www.eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2019 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. The ® symbol denotes registered trademark status in the U.S.; marks may also be registered internationally. Non-Eastman brands referenced herein are trademarks of their respective owners.

Eastman turbo oil industry approvals

Military

MIL SPEC	SAE	NSN	DEF STAN	NATO CODE	JSD	Package	Shelf life	Product
MIL-PRF-23699 STD	AS5780 SPC	9150-01-476-1074 9150-00-985-7099	91-101/3	O-156	OX-27	1 quart	4 years	Eastman Turbo Oil 2380™
		None				5 gallon	3 years	
		9150-01-476-1083				55 gallon	3 years	
MIL-PRF-7808 Gr.3	NA	9150-00-782-2627	NA	O-148	OX-9	1 quart	10 years	Eastman Turbo Oil 2389™
		None				5 gallon	3 years	
		9150-00-782-2679				55 gallon	3 years	
MIL-PRF-23699 HTS	AS5780 HPC	9150-01-439-0756	91-101/3 (equivalent)	O-154	NA	1 quart	10 years	Eastman Turbo Oil 2197™
		None				5 gallon	3 years	
		9150-01-439-2070				55 gallon	3 years	
		None				330 gallon	18 months	
		None				350 gallon	18 months	
DOD-PRF-85734	NA	9150-01-209-2684	91-100/3	O-160	OX-26	1 quart	3 years	Eastman Turbo Oil 25™
		None				5 gallon	3 years	
		9150-01-210-1938				55 gallon	3 years	
MIL-PRF-32538	NA	9150-01-682-8707	91-69*	O-165	OX-125*	55 gallon	3 years	Eastman HALO 157™

This list is subject to change. Refer to your Component Maintenance Manual (CMM) or the Qualified Products List (QPL) to determine which fluids are approved for your application. If you have any questions about an application, call our customer service department at 800-260-4150.

*In process

EASTMAN
The results of insight™

Eastman Corporate Headquarters
P.O. Box 431
Kingsport, TN 37662-5280 U.S.A.

U.S.A. and Canada, 800-EASTMAN (800-327-8626)
Other Locations, +(1) 423-229-2000

www.eastman.com/locations

Although the information and recommendations set forth herein are presented in good faith, Eastman Chemical Company ("Eastman") and its subsidiaries make no representations or warranties as to the completeness or accuracy thereof. You must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment, or formulation in conflict with any patent, and we make no representations or warranties, express or implied, that the use thereof will not infringe any patent. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND NOTHING HEREIN WAIVES ANY OF THE SELLER'S CONDITIONS OF SALE.

Safety Data Sheets providing safety precautions that should be observed when handling and storing our products are available online or by request. You should obtain and review available material safety information before handling our products. If any materials mentioned are not our products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed.

© 2020 Eastman. Eastman brands referenced herein are trademarks of Eastman or one of its subsidiaries or are being used under license. The ® symbol denotes registered trademark status in the U.S.; marks may also be registered internationally. Non-Eastman brands referenced herein are trademarks of their respective owners.